



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

Mr. Jason Peng
Regulatory Affairs Manager
IND Diagnostic, Inc.
1629 Fosters Way
Delta, B.C V3M 6S7
Canada

AUG - 7 2006

Re: k060810
Trade/Device Name: One Step DOA-2, DOA-3, DOA-4 Multi-Panel Test
One Step Amphetamine Test- Cassette and Strip Formats
One Step Methamphetamine Test- Cassette and Strip Formats
One Step Cocaine Test- Cassette and Strip Formats
One Step Morphine Test- Cassette and Strip Formats
One Step Marijuana Test- Cassette and Strip Formats
Regulation Number: 21 CFR §862.3100
Regulation Name: Amphetamine Test System
Regulatory Class: Class II
Product Code: DKZ, LDJ, DIO, DPK
Dated: June 29, 2006
Received: July 3, 2006

Dear Mr. Peng:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

Page 2 –

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (240) 276-0484. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Alberto Gutierrez", with a stylized flourish at the end.

Alberto Gutierrez, Ph.D.

Director

Division of Chemistry and Toxicology

Office of In Vitro Diagnostic Device

Evaluation and Safety

Center for Devices and

Radiological Health

Enclosure

Indications for Use

510(k) Number (if known):

K060810

Device Name:

One Step DOA-2, DOA-3, DOA-4, DOA-5 Multi Panel Test
One Step Amphetamine Test – Cassette and Strip Formats
One Step Methamphetamine Test – Cassette and Strip Formats
One Step Cocaine Test – Cassette and Strip Formats
One Step Morphine Test – Cassette and Strip Formats
One Step Marijuana Test – Cassette and Strip Formats

Indications For Use:

The One Step Drugs of Abuse Test is a prescription lateral flow competitive immunoassay panel or single test intended for professional central laboratory use by trained users. It provides qualitative visual screening results for Marijuana, Cocaine, Morphine, Amphetamine and Methamphetamine at cutoff concentrations of 50 ng/mL Marijuana, 300 ng/mL Cocaine, 300 ng/mL Morphine, 1000 ng/mL Amphetamine and 1000 ng/mL Methamphetamine in urine in combinations (Multi-Panel) or separately (Single). It is not intended for over the counter sales to the lay person.

For *in vitro* diagnostic use only.

As with all qualitative tests, this assay provides only a preliminary result. Clinical consideration and professional judgment should be applied to any drug of abuse test result, particularly in evaluating a preliminary positive result. To obtain a confirmed analytical result, a more specific alternate chemical method is needed. Gas chromatography/mass spectroscopy (GC/MS) is the recommended confirmatory method

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)



Division Sign-Off

Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD)

Office of In Vitro Diagnostic Device
Evaluation and Safety

510(k) **K060810**